

Contents

Abbreviations	vii
Overview of HIV and AIDS in Europe	ix
Обзор эпидемиологической ситуации по ВИЧ/СПИДу в Европе	xv
1. HIV and AIDS in the European Union and European Economic Area	1
1.1. HIV diagnoses	1
1.2. Trends in HIV diagnoses	2
1.3. AIDS cases, morbidity and mortality	6
1.4. Conclusion	7
2. HIV and AIDS in the WHO European Region	11
2.1. HIV and AIDS diagnoses in the WHO European Region	11
2.2. HIV and AIDS diagnoses in the East	15
2.3. HIV and AIDS diagnoses in the Centre	22
2.4. HIV and AIDS diagnoses in the West	25
2.5. Number of HIV tests performed	28
2.6. Conclusions	28
Figures	
Figure A: Rate of new HIV diagnoses per 100 000 population, by year of diagnosis and adjusted for reporting delay, in the EU/EEA and the WHO European Region, 1985–2015	x
Figure B: Cumulative number of new HIV diagnoses in the EU/EEA and other countries of the WHO European Region, 1984–2015	xi
Figure 1.1: Male-to-female ratio in new HIV diagnoses, by country, EU/EEA, 2015 (n=29 651)	2
Figure 1.2: Age- and gender-specific rates of new HIV diagnoses per 100 000 population, EU/EEA, 2015 (n=29 639)	3
Figure 1.3: New HIV diagnoses, by age group and transmission mode, EU/EEA, 2015 (n=23 417)	3
Figure 1.4: Percentage of new HIV diagnoses, by age group and country, EU/EEA, 2015 (n=29 642)	4
Figure 1.5: Percentage of new HIV diagnoses with known mode of transmission, by transmission route and country, EU/EEA, 2015 (n=23 772)	4
Figure 1.6: Percentage of new HIV diagnoses among migrants out of all reported cases with known information on region of origin, by country of report, EU/EEA, 2015 (n=25 785)	5
Figure 1.7: New HIV diagnoses, by CD4 cell count per mm ³ at diagnosis and transmission mode, EU/EEA, 2015	6
Figure 1.8: New HIV diagnoses, by CD4 cell count per mm ³ at diagnosis and region of origin of the case diagnosed, EU/EEA, 2015	6
Figure 1.9: New HIV diagnoses, by transmission mode and year of diagnosis, adjusted for reporting delay, EU/EEA, 2006–2015	7
Figure 1.10: New HIV diagnoses, by transmission mode and migration status, EU/EEA, 2006–2015	7
Figure 1.11: Median CD4 cell count per mm ³ at HIV diagnosis, by transmission mode, EU/EEA, 2006–2015	8
Figure 1.12: AIDS diagnoses, by transmission mode, EU/EEA, 2006–2015	8
Figure 1.13: Proportion of persons diagnosed with AIDS with tuberculosis as an AIDS-defining illness, EU/EEA, 2015 (n=3 750)	9
Figure 2.1: New HIV diagnoses, by CD4 cell count per mm ³ at diagnosis and transmission mode, WHO European Region, 2015 (n=23 920)	12
Figure 2.2a: Rates of new HIV diagnoses, by year of diagnosis, WHO European Region, 2006–2015 (including Russia)	12
Figure 2.2b: Rates of new HIV diagnoses, by year of diagnosis, WHO European Region, 2006–2015 (excluding Russia)	12
Figure 2.3: New HIV diagnoses, by transmission mode and year of diagnosis, WHO European Region, 2006–2015	14
Figure 2.4: New HIV diagnoses among natives, European migrants and non-European migrants, WHO European Region, 2006–2015	14
Figure 2.5: Rates of new AIDS diagnoses, by geographical area and year of diagnosis, WHO European Region, 2006–2015	14
Figure 2.6: Male-to-female ratio in all new HIV diagnoses and new diagnoses with heterosexual transmission, by country, East, 2015	16
Figure 2.7: New HIV diagnoses by country and transmission mode, East, 2015 (n=22 911)	16

Figure 2.8: New HIV diagnoses, by age group and transmission mode, East, 2015 (n= 21809).....	18
Figure 2.9: New HIV diagnoses, by CD4 cell count per mm ³ at diagnosis and transmission mode, East, 2015 (n=5428)	18
Figure 2.10: New HIV diagnoses, by transmission mode and year of diagnosis, East, 2006–2015	19
Figure 2.11: Age trends by gender in people infected through heterosexual transmission, East, 2006–2015	20
Figure 2.12: New AIDS diagnoses, by transmission mode and year of diagnosis, East, 2006–2015	21
Figure 2.13: Distribution of the three most common AIDS-defining illnesses per transmission mode, East, 2015	21
Figure 2.14: Male-to-female ratio in new HIV diagnoses, by country, Centre, 2015	22
Figure 2.15: New HIV diagnoses by country and transmission mode, Centre, 2015 (n=5297)	23
Figure 2.16: New HIV diagnoses, by CD4 cell count per mm ³ category at diagnosis and transmission mode, Centre, 2015 (n=1742)	24
Figure 2.17: New HIV diagnoses, by transmission mode and year of diagnosis, Centre, 2006–2015	24
Figure 2.18: New AIDS diagnoses, by transmission mode and year of diagnosis, Centre, 2006–2015	24
Figure 2.19: Distribution of the three most common AIDS-defining illnesses per transmission mode, Centre, 2015	26
Figure 2.20: New HIV diagnoses, by transmission mode and year of diagnosis, West, 2006–2015	26
Figure 2.21: New AIDS diagnoses, by transmission mode and year of diagnosis, West, 2006–2015	27
Figure 2.22: Distribution of the three most common AIDS-defining illnesses per transmission mode, West, 2015	27

Tables

Table A: Characteristics of new HIV diagnoses reported in the WHO European Region, the EU/EEA, and West, Centre and East of the WHO European Region, 2015	ix
Table 1: New HIV diagnoses and rates per 100 000 population, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	32
Table 1a: New HIV diagnoses and rates per 100 000 population, by country and year of statistics (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	34
Table 2: New HIV diagnoses in males and rates per 100 000 population, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	36
Table 3: New HIV diagnoses in females and rates per 100 000 population, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	38
Table 4: New HIV diagnoses in men infected through sex with men, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	40
Table 5: New HIV diagnoses in people infected through injecting drug use, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	41
Table 6: New HIV diagnoses in people infected through heterosexual contact, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	42
Table 7: New HIV diagnoses in people infected through mother-to-child transmission, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	43
Table 8: New HIV diagnoses, by sex, transmission mode and year of diagnosis (2006–2015) and cumulative totals	44
Table 8a: EU/EEA and non-EU/EEA countries	44
Table 8b: West, Centre and East of the WHO European Region	46
Table 9: New HIV diagnoses, by sex, age and year of diagnosis (2006–2015) and cumulative totals	48
Table 9a: EU/EEA and non-EU/EEA countries	48
Table 9b: West, Centre and East of the WHO European Region	50
Table 10: HIV diagnoses in people infected through heterosexual contact, by country and transmission subcategory, cases diagnosed in 2015, in EU/EEA and other countries of the WHO European Region	53
Table 11: HIV diagnoses, by country of report and region of origin, cases diagnosed in 2015, in EU/EEA and other countries of the WHO European Region	54
Table 12: HIV diagnoses, by geographical area, transmission mode and country or subcontinent of origin, cases reported in 2015	56
Table 12a: EU/EEA and non-EU/EEA countries	56
Table 12b: West, Centre, East of the WHO European Region	56
Table 13: New HIV diagnoses, by country of report and probable region of infection, in 2015, in EU/EEA and other countries of the WHO European Region	58
Table 14: Percentage of new HIV diagnoses (2015) among persons >14 years reported with information about CD4 cell count, by CD4 cell count level (<200 and <350 cells per mm ³ blood) and by transmission mode in cases with CD4 <350, in EU/EEA and other countries of the WHO European Region	61
Table 15: AIDS diagnoses and rates per 100 000 population, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	62
Table 16: AIDS diagnoses in males and rates per 100 000 population, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	64

Table 17: AIDS diagnoses in females and rates per 100 000 population, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	66
Table 18: AIDS diagnoses in men infected through sex with men, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	68
Table 19: AIDS diagnoses in people infected through injecting drug use, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	69
Table 20: AIDS diagnoses in people infected through heterosexual contact, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	70
Table 21: AIDS diagnoses in people infected through mother-to-child transmission, by country and year of diagnosis (2006–2015) and cumulative totals, in EU/EEA and other countries of the WHO European Region	71
Table 22: AIDS diagnoses, by sex, transmission mode and year of diagnosis (2006–2015) and cumulative totals	72
Table 22a: EU/EEA and non-EU/EEA countries	72
Table 22b: West, Centre, East of the WHO European Region	74
Table 23: AIDS diagnoses, by sex, age and year of diagnosis (2006–2015) and cumulative totals	76
Table 23a: EU/EEA and non-EU/EEA countries	76
Table 23b: West, Centre, East of the WHO European Region	78
Table 24: The most common AIDS-indicative diseases diagnosed in 2015*, ordered by frequency	80
Table 25: Deaths among people diagnosed with HIV and/or AIDS*, by geographic area, country and year of death (2006–2015) and cumulative totals in EU/EEA and other countries of the WHO European Region*	81
Table 26: Deaths among AIDS cases, by transmission mode and year of death (2006–2015) and cumulative totals	82
Table 26a: EU/EEA and non-EU/EEA countries	82
Table 26b: West, Centre, East of the WHO European Region	84
Table 27: Number of HIV tests performed, excluding unlinked anonymous testing and testing of blood donations, by country and year (2006–2015) and number of tests per 1000 population in 2015, in EU/EEA and other countries of the WHO European Region	86

Maps

Map 1: New HIV diagnoses per 100 000 population, 2015	88
Map 2: New HIV diagnoses in men per 100 000 male population, 2015	89
Map 3: New HIV diagnoses in women per 100 000 female population, 2015	89
Map 4: New HIV diagnoses in men who have sex with men per 100 000 male population, 2015	90
Map 5: New HIV diagnoses acquired through injecting drug use per 100 000 population, 2015	90
Map 6: New HIV diagnoses acquired through heterosexual transmission per 100 000 population, 2015	91
Map 7: Percentage of adult (>14 years) HIV diagnoses with CD4 <350 cells/mm ³ at diagnosis, 2015	91
Map 8: AIDS diagnoses reported per 100 000 population, 2015	92
Figure A1: Geographical/epidemiological division of the WHO European Region	96

Annexes

Annex 1: Framework for data collection, validation and presentation	95
Annex 2: List of variables for 2015 HIV/AIDS data collection	99
Annex 3: Completeness of variables for data reported in 2014 and 2015	100
Annex 4a: HIV surveillance system overview: data source information	101
Annex 4b: AIDS surveillance system overview: data source information	102
Annex 5: Country-specific comments regarding national HIV and AIDS reporting	103
Annex 6: HIV diagnoses and rate per 100 000 population, adjusted for reporting delay and adjustment coefficients, EU/EEA countries, 2012–2015	104
Annex 7: HIV/AIDS surveillance in Europe: participating countries and national institutions	105